

Approved for Issue - 4 June 2008

Form 22

Robust, Low Profile & Designed for fitting onto wooden floors, these 22mm thick GRP wet room shower bases replace part of the floor, creating a gradient leading to a waste outlet. Available in different sizes, with options to suit pumped wastes or commercial floor finishes like vinyl.

E&OE



PRODUCT CHARACTERISTICS

- GRP based hard Shower Base c/w Flat Underside, 17mm Gradients leading to Outlet with Factory Fit Collar to suit Waste Kit
- Self Supporting Waste & Trap Assembly with Horizontal outlet pipe (DIN 50mm)(Vertical available- special order)
- Stainless Steel Outlet Grate with Height Adjustment
- Installation Sealing Kit comprising Joint Sealing Tape & Waterproofing Sealant

APPLICATIONS

Form 22 kits are suitable to construct the shower area floor structure of a wet room type bathroom. Suits:

- En-Suites : small bathrooms where space efficiency is at a premium
- High End Designer Bathrooms : large sizes add to the feeling of space within a shower area
- Wheelchair & Special Needs : bathrooms where accessibility is a essential element of the design
- Refurbishments & New Build
- Floor Structures : designed for Board over Wooden Joist

TECHNICAL DATA – DIMENSIONS & SIZE

Sizes	: 800 x 800	900 x 900	1000 x 1000
	: 1200 x 1200	1300 x 800	1400 x 900
	: 1500 x 800	1700 x 1700	1850 x 900
	: 1700 x 750	1700 x 850	

- Profile : Low Profile 22mm
- Gradient : 17mm generally, dependant upon point of measurement
- Waste & Trap : DIN 50mm (Supplied with UK ABS Converter)
- Waterproofing Kit : AquaeSEAL – UNO (5m²) or MEDIO (10m²) – See Data Sheet
 (Optional Extra) : AquaeTILE – UNO (5m²) or MEDIO (10m²) – See Data Sheet
 : Other Systems – Contact us

TECHNICAL DATA – MATERIAL

- Shower Base : 22mm Thick, with a 17mm Gradient leading to the Outlet
- Grating : 5mm thick 304 Stainless Steel Plate
- Grating : Height Adjustment, 6mm to 26mm for ceramic tiles
- Waste & Trap : ABS Solvent Weld 126mm Deep, designed for tiles
- Outlet Location is Model Dependant : Central or Off-set
- The 17mm Gradient : Runs in all directions across the length or width of the base
- Thickness at the outer edge : 22mm (same as many modern chipboard floors)
- Weight Loading : Support in excess of 250kg

Approved for Issue - 4 June 2008

TECHNICAL DATA – OPTIONS

- Grating for Vinyl Floors (Normally Commercial, Industrial & Institutional Projects)
- Pumped Drainage (when gravity drainage isn't available)
- Waterproofing (See below)
- Undertile Heating (contact us for further info)

CAPACITY

- Waste & Trap : Horizontal (max 22Ltrs/Min). Call us to confirm the latest Specification

DISPOSAL

- Packaging : To be disposed of according to local bylaws.

INSTALLATION INSTRUCTIONS

- Separate Sheet : Included in Package

PACKAGING

- Base : Protective Corners & Shrunk Polywrap
- Waste & Trap : Cardboard Box to suit all ancillaries

CONTENTS

Supplied in 2x BOXES (product Dependant)

- Shower Base
- Waste & Trap – Horizontal / Vertical
- Stainless Steel Grating
- Installation Instructions

Range	Size	ART No.
Form 22	800 x 800, OFF-SET Outlet, Horiz Waste, Install Kit	009.00100
Form 22	900 x 900 OFF-SET Outlet, Horiz +Vert Waste, Install Kit	009.00101
Form 22	1000 x 1000 OFF-SET Outlet, Horiz +Vert Waste, Install Kit	009.00102
Form 22	1200 x 1200 OFF-SET I Outlet, Horiz +Vert Waste, Install Kit	009.00103
Form 22	1300 x 800 OFF-SET Outlet, Horiz +Vert Waste, Install Kit	009.00104
Form 22	1400 x 900 OFF-SET Outlet, Horiz +Vert Waste, Install Kit	009.00105
Form 22	1500 x 800 OFF-SET Outlet, Horiz +Vert Waste, Install Kit	009.00106
Form 22	1700 x 1700 OFF-SET Outlet, Horiz Waste, Install Kit	009.00107
Form 22	1850 x 900 OFF-SET Outlet, Horiz Waste, Install Kit	009.00108
Form 22	1700 x 750 OFF-SET Outlet, Horiz Waste, Install Kit	009.00109
Form 22	1700 x 850 OFF-SET Outlet, Horiz Waste, Install Kit	009.00110




Image / Drawing – See Individual Products

X	x	Y	A	B
800	x	800	175mm	175mm
900	x	900	175mm	175mm
1000	x	1000	320mm	320mm
1200	x	1200	320mm	600mm
1300	x	800	320mm	650mm
1400	x	900	320mm	700mm
1500	x	800	320mm	650mm
1700	x	1700	320mm	600mm
1850	x	900	320mm	925mm
1700	x	750	tbc	
1700	x	850	tbc	

E&OE

We reserve the right to alter & amend specifications without prior notice
 This is not a specification document & does not guarantee performance
 © Bathroom EngineeringTM June 08